INDEX TO VOLUME LIII

INDEX TO AUTHORS AND TITLES

Anastasiou, C. J. Fungi from salt lakes. I. A new species of Clavariopsis 11

Anderson, N. A. See Miller and Anderson 433

Aoshima, Kiyowo, Paul L. Lentz, and Hazel M. McKay. Stereum taxodii in Japan and Formosa 145

Autery, Charlotte L. See Johnson and Autery 432

Ayers, T. T. See Lambert and Ayers 304

Backus, M. P. See Christensen and Backus 451

——, **and P. A. Orpurt.** A new Emericellopsis from Wisconsin, with notes on other species 64

Baxter, John W. North American species of Puccinia on Hyptis 17

Beneke, Everett S. See Bulmer and Beneke 123; see Sedlmayr et al. 98, 558

Benjamin, Chester R. See Stevenson and Benjamin 438

Berliner, Martha D. Studies in fungal luminescence 84

Bridges, Charles H. See Emmons and Bridges 307

Buck, Robert W. Mushroom poisoning since 1924 in the United States 537

Bulmer, Glenn S., and Everett S. Beneke. Studies on Calvatia gigantea. I. Germination of the basidiospores 123

Chandrasekaran, S. See Rangaswami and Chandrasekaran 371

Christensen, Martha, and M. P. Backus. New or noteworthy Penicillia from Wisconsin soils 451

Cobb, F. W., Jr., C. L. Fergus, and W. J. Stambaugh. The effect of temperature on ascogonial and perithecial development in Ceratocystis fagacearum 91

Cooke, Wm. Bridge. The genus Schizophyllum 575

Cowley, G. T., and W. F. Whittingham. The effect of tannin on the growth of selected soil microfungi in culture 539

Cox, Elsie A. See Goos et al. 262

Coy, D. O. See Tuveson and Coy 244

Dick, Esther A. See Snell and Dick 228

Drechsler, Charles. Production of large solitary sporangiospores in some species of the Mucorales 439

——. Two species of Conidiobolus often forming zygospores adjacent to antheridium-like distentions 278

Ellis, J. J. See Hesseltine and Ellis 406

Emmons, Chester W. Mycology and medicine 1

——, **and Charles H. Bridges.** Entomophthora coronata, the etiologic agent of a phycomycosis of horses 307

Etheridge, D. E. See Pomerleau and Etheridge 155

Evenson, Adelaide E. A preliminary report of the Myxomycetes of southern Arizona 137

Fergus, C. L. See Cobb et al. 91

Fidalgo, M. E. P. Kauffmann. The genus Phaeodaedalea 201

INDEX TO VOLUME LIII

INDEX TO AUTHORS AND TITLES

Anastasiou, C. J. Fungi from salt lakes. I. A new species of Clavariopsis 11

Anderson, N. A. See Miller and Anderson 433

Aoshima, Kiyowo, Paul L. Lentz, and Hazel M. McKay. Stereum taxodii in Japan and Formosa 145

Autery, Charlotte L. See Johnson and Autery 432

Ayers, T. T. See Lambert and Ayers 304

Backus, M. P. See Christensen and Backus 451

——, **and P. A. Orpurt.** A new Emericellopsis from Wisconsin, with notes on other species 64

Baxter, John W. North American species of Puccinia on Hyptis 17

Beneke, Everett S. See Bulmer and Beneke 123; see Sedlmayr et al. 98, 558

Benjamin, Chester R. See Stevenson and Benjamin 438

Berliner, Martha D. Studies in fungal luminescence 84

Bridges, Charles H. See Emmons and Bridges 307

Buck, Robert W. Mushroom poisoning since 1924 in the United States 537

Bulmer, Glenn S., and Everett S. Beneke. Studies on Calvatia gigantea. I. Germination of the basidiospores 123

Chandrasekaran, S. See Rangaswami and Chandrasekaran 371

Christensen, Martha, and M. P. Backus. New or noteworthy Penicillia from Wisconsin soils 451

Cobb, F. W., Jr., C. L. Fergus, and W. J. Stambaugh. The effect of temperature on ascogonial and perithecial development in Ceratocystis fagacearum 91

Cooke, Wm. Bridge. The genus Schizophyllum 575

Cowley, G. T., and W. F. Whittingham. The effect of tannin on the growth of selected soil microfungi in culture 539

Cox, Elsie A. See Goos et al. 262

Coy, D. O. See Tuveson and Coy 244

Dick, Esther A. See Snell and Dick 228

Drechsler, Charles. Production of large solitary sporangiospores in some species of the Mucorales 439

——. Two species of Conidiobolus often forming zygospores adjacent to antheridium-like distentions 278

Ellis, J. J. See Hesseltine and Ellis 406

Emmons, Chester W. Mycology and medicine 1

——, **and Charles H. Bridges.** Entomophthora coronata, the etiologic agent of a phycomycosis of horses 307

Etheridge, D. E. See Pomerleau and Etheridge 155

Evenson, Adelaide E. A preliminary report of the Myxomycetes of southern Arizona 137

Fergus, C. L. See Cobb et al. 91

Fidalgo, M. E. P. Kauffmann. The genus Phaeodaedalea 201

Gerdemann, J. W. A species of Endogone from corn causing vesicular-arbuscular mycorrhiza 254
Ghosh, Gouri Rani, G. F. Orr, and H. H. Kuehn. A re-evaluation of Arachniotus indicus 221
Gilbertson, Robert L. See Lowe and Gilbertson 474
Gilkey, Helen Margaret. New species and revisions in the order Tuberales 215
Goos, Roger D., Elsie A. Cox, and G. Stotzky. Botryodiplodia theobromae and its association with Musa species 262
Gordee, R. S., and C. L. Porter. Structure, germination, and physiology of microsclerotia of Verticillium albo-atrum 171
Hacskaylo, E. See Vozzo and Hacskaylo 538
Hesler, L. R. A study of Russula types, II 605
Hesseltine, C. W., and J. J. Ellis. Notes on Mucorales, especially Absidia 406
Jellison, William L., and J. William Vinson. The distribution of Emmonsia crescens in Europe 524
Johnson, T. W., Jr., and Charlotte L. Autery. An Arthrobotrys from brackish water 432
Kevorkian, Arthur G. Illustration of Elsinoë boucheae 437
Knight, S. G. See Meyers and Knight 115
Korf, Richard P. See Noviello and Korf 237
Kuehn, H. H. See Ghosh et al. 221
Lambert, E. B., and T. T. Ayers. Basidiospores of several species of Agaricales discharged and collected in pairs 304
Lentz, Paul L. See Aoshima et al. 145
Leppik, E. E. Some viewpoints on the phylogeny of rust fungi. IV. Stem rust genealogy 378
Liberta, Anthony E. A taxonomic analysis of section Athele of the genus Corticium. II 443
Lowe, Josiah L., and Robert L. Gilbertson. Synopsis of the Polyporaceae of the western United States and Canada 474
McAlear, James H. See Moore and and McAlear 194
McKay, Hazel H. See Aoshima et al. 145
Martin, G. W. The genus Schenella 25
Mathre, Judith H. See Tiffany and Mathre 600
Mehrotra, B. S., and M. D. Mehrotra. A new species of Choanephora from India 464
Mehrotra, M. D. See Mehrotra and Mehrotra 464
Meyers, E., and S. G. Knight. Studies on the intracellular amino acids of Penicillium roqueforti 115
Miller, C. W., and N. A. Anderson. Proliferation of conidiophores and intrahyphal hyphae in Aspergillus niger 433
Moore, Royall T., and James H. McAlear. Fine structure of Mycota. 5. Lomasomes—previously uncharacterized hyphal structures 194
Noviello, Carmine, and Richard P. Korf. A simple technique for investigating stromatal formation in the Sclerotiniaceae 237
Okudaira, Masahiko, and Jan Schwarz. Infection with Histoplasma duboisii in different experimental animals 53
Orpurt, P. A. See Backus and Orpurt 64
Orr, G. F. See Ghosh et al. 221

Peterson, Roger S. Notes on western rust fungi. I. Chrysomyxa 427
Pomerleau, René, and D. E. Etheridge. A bluestain in balsam fir 155
Porter, C. L. See Gordee and Porter 171
Ramachandra-Reddy, T. K. A new species of Didymosphaeria from the rhizosphere 471
Rangaswami, G., and S. Chandrasekaran. Cercospora species on cucurbitaceous hosts in south India. I. Identification of species 371
Savile, D. B. O. Some fungal parasites of Liliaceae 31
Schwarz, Jan. See Okudaira and Schwarz 53
Sedlmayr, M., E. S. Beneke, and J. A. Stevens. Physiological studies on Calvatia species. I. Vitamin requirements 98; II. Carbon utilization 558
Slifkin, Miriam K. Parasitism of Olpidiopsis incrassata on members of the Saprolegniaceae. I. Host range and effects of light, temperature, and stage of host on infectivity 183
Snell, Walter H., and Esther A. Dick. Notes on boletes. XIV 228
Stambaugh, W. J. See Cobb et al. 91
Stevens, J. A. See Sedlmayr et al. 98; 558
Stevenson, John A., and Chester R. Benjamin. Scleroderma poisoning 438
Stotzky, G. See Goos et al. 262.
Tiffany, Lois H., and Judith H. Mathre. A new species of Elsinoë on Panicum virgatum 600
Tuveson, R. W., and D. O. Coy. Heterocaryosis and somatic recombination in Cephalosporium mycophilum 244
Vinson, J. William. See Jellison and Vinson 524
Vozzo, J. A., and E. Hacskaylo. Mycorrhizal fungi on Pinus virginiana 538
Warren, George H. See Yurchenco and Warren 566
Wells, Kenneth. Studies of some Tremellaceae. IV. Exidiopsis 317
Whiteside, W. C. Morphological studies in the Chaetomiaceae. I 512
Whittingham, W. F. See Cowley and Whittingham 539
Yurchenco, John A., and George H. Warren. A laboratory procedure for the cultivation and fructification of species of Hericium 566

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

Alexander, Martin. Introduction to Soil Microbiology; review 213
Booth, C. Studies of Pyrenomycetes: VI. Thielavia, with notes on some allied genera; review 631
Campbell, W. A. Julian Howell Miller (1890–1961); biography 111
Duran, Ruben, and George W. Fischer. The genus Tilletia; review 213
Ellis, M. B. Dematiaceous Hyphomycetes. III; review 629
Fleming, Mary. See Rogerson and Fleming 552
Hale, Mason E., Jr. Lichen Handbook. A Guide to the Lichens of Eastern North America; review 313
Harrison, Kenneth A. The stipitate Hydnums of Nova Scotia; review 626
Hennig, Bruno. Michael/Hennig Handbuch fur Pilzfreunde; Zweiter Band, Nichtblatterpilze; review 316
Ingold, C. T. The Biology of the Fungi; review 211
Johnson, T. W., Jr., and F. K. Sparrow, Jr. Fungi in oceans and estuaries; review 629

Kreisel, Hanns. Die Phytopathogenen Grosspilze Deutschlands; review 313
Locquin, Marcel, and Bengt Cortin. Champignons Comestibles et Veneneux; review 314
MacLeod, Anna M., and L. S. Cobley. Contemporary botanical thought; review 628
Nattrass, R. M. Host lists of Kenya fungi and bacteria; review 631
Phytochemistry, an international journal of plant biochemistry; review 627
Pilát, A., and O. Ušak. A handbook of mushrooms; review 314
Radiation Botany, a new botanical journal; review 211
Rogerson, Clark T., and Mary Fleming. Publications of William A. Murrill; biography 552
Sutton, B. C. Coelomycetes I; review 629
Weber, George F. William Alphonso Murrill; biography 543

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type.** An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text.

Absidia 406–411; butleri 414, 467; cylindrospora 407, 409, 411; var. **rhizomorpha 409–411**; glauca 541; **pseudocylindrospora 406–409**
Achyla 185, 189–192; americana 186, 188; apiculata 184, 186, 188; bisexualis 184, 186, 188; colorata 184, 186, 188; conspicua 186; diffusa 186; dubia 186, flagellata 185, 186, 188; inflata 186; klebsiana 186; megasperma 186; oblongata 186; prolifera 186; proliferoides 186; racemosa 183, 186; treleaseana 184, 186
Aecidium hyptidis 22; smilacis 386
Agaricus alneus 580; var. subpetiolaris 580; bisporus 304–306; campestris 305; crispatus 587; multifidus 580; radiatus 581
Alternaria tenuissima 541
Amanita 6; abrupta 539; caesaria 538; flavorubescens 538; frostiana 538; mappa 539; muscaria 6, 538; pantherina 6, 537; parcivolvata 539; phalloides 6, 305, 537–539; rubescens 538; solitaria 538; verna 539
Amanitopsis strangulata 539
Amaurochaete 25–30; comata 29; ferruginea 29; fuliginosa 29; trechispora 29; tubulina 29
Amauroderma 201
Amphisphaeria 159, 160; aethiops 159; applanata 160; olearum 159; salebrosa 159; thujina 155, 159, 160, 164; umbrina 160
Aphanomyces 185; laevis 186, 188, 192; scaber 186, 192; stellatus 186
Aporpium caryae 490
Apus 579
Arachniotus 221–225; indicus 221–226; var. major 221, 223, 226; ruber 226; trisporus 223
Arcyria cinerea 139, 142; incarnata 139, 142; insignis 139, 142; nutans 139, 142
Argomyces parilis 22
Argotelium hyptidis 20
Armillaria fusipes 84, 85; mellea 84, 85, 87, 89
Arthrobotrys 432, 433; dactyloides 433
Ascobolus 436
Ascotricha 512
Aspergillus 252; deflectus 434; fumigatus 541; niger 433–436; proliferans 434; ruber 433; terreus 541
Auricularia auricula 2; auricularis 197; mesenterica 446

Badhamia decipiens 141, 143; macrocarpa 138, 141–144; panicea 138, 141, 143
Basidiobolus 301; meristosporus 281; ranarum 301
Blakeslea trispora 467
Boletellus mirabilis 233, 234; projectellus 233, 234
Boletinus flavoluteus 235; glandulosus 235; punctatipes 235; squarrosoides 539
Boletus 124; affinis 539; alutaceus 228; badius 539; betula 539; bicolor 305,

538; calopus 228; cyanescens 539; dichrous 234; edulis 3, 229, 539; erythropus 233; felleus 539; flavissimus 232, 233; frostii 539; glabellus 228; granulatus var. albidipes 232; indecisus 539; junquilleus 232, 233; luteus 539; miniato-olivaceus 6, 232, 233; pallidus 539; pseudosulphureus 233; punctipes 539; queletii 233; retipes 539; rimosellus 539; satanus 6; scaber 305; separans 229, 539; subtomentosus 539; unicolor 232; variegatus 538, 561
Botryodiplodia 263, 270, 274; batatae 264; carpophila 264; cerebrina 264; creba 264; diplocarpa 264; elasticae 264; gossypii 264; manihoticola 264; manihotis 264; phaseolina 264; saccharina 264; theobromae 262–275; tubericola 264
Botryotinia calthae 237; fuckeliana 31, 237, 241, 242; globosa 237; perlargonii 237, 240; squamosa 237
Botrytis 237, 241, 242, 436; cinerea 242; tulipae 237
Boudierella coronata 311
Bourdotia 317–321; galzinii 319; petiolata 321, 365
Bovista 124; gigantea 123; nigrescens 124; pila 124; plumbea 123; radicata 124
Bullaria parilis 22
Byssochlamys 223, 224; fulva 223; nivea 223

Calcarisporium parasiticum 191
Calomyxa metallica 139, 142
Calvatia 4, 98–107, 438, 558–564; bovista 123; caelata 558; cyathiformis 124; fragilis 98, 106, 558, 561–564; gigantea 98, 106, 123–136, 558, 561, 564; maxima 123; primitiva 123; saccata 124, 558
Cenococcum graniforme 539
Cephalosporium 66–78; acremonium 65; mycophilum 244–252; salmosynnematum 65
Ceratiomyxa fructiculosa 138, 142
Ceratocystis fagacearum 91–97
Cercospora 371–377; annamalaiensis 371; citrullina 371, 373; var. **trichosanthei-anguinae 371–373**; cocciniae 376; **chidambarensis 375**; echinocystis 376; elaterii 376; lagenariae 374, 375; liliicola 49; **madrasensis 373–375**; momordicae 371
Cercosporella hungarica 49; inconspicua 49, 50; lilii 49, 50; liliicola 49; terminalis 50; veratri 50
Chaetocladium 442
Chaetodiplodia 263; arachidis 264; coffeae 264; grisea 264; sobraliae 264; vanillae 264
Chaetomidium 512
Chaetomium 512–522; bostrychodes 519; brasiliense 513, 517–522; globosum 513–522; kunzeanum 513; spirale 519; velutinum 513
Choanephora 464–470; cucurbitarum 464, 465; **heterospora** 466, **467**, 468; infundibulifera 464; manshurica 464
Chrysomyxa 427–431; arctostaphyli 427–430; ledicola 427; pirolata 427, 430; weirii 430
Ciborinia 241; erythronii 238–242
Circinella 414–417; angarensis 412, 415–418; muscae 414–418; umbellata 418
Cladonia rangiferina 139
Clastoderma debaryanum 141, 143
Clavariopsis 11–16; aquatica 11; brachycladia 11; **bulbosa 11–16**
Claviceps 5; purpurea 5
Clitocybe illudens 6, 84, 85
Collybia velutipes 561
Coltricia 201
Coltriciella 201
Comatricha aequalis 140, 142; irregularis 140, 142; laxa 141, 143; lurida 140, 143; nigra 140, 143; pulchella 141, 143; tenerrima 140, 143; typhoides 140, 143
Conidiobolus 278–303; adiaeretus 283; brefeldianus 278, 281, 283, 285, 299; chlamydosporus 283; firmipilleus 283; **gonimodes** 283, **292–303**, megalotocus 283; **polyspermus 279–292**, 295, 299, 302; villosus 309
Conocybe 7
Coprinus 104
Coriolus sprucei 207
Corticium sec. Athele 443–450; abietis 349; auriculariae 443–446; aurora 443; calceum 348; confusum 443, 448, 449; filicinum 443; galactinum 165; gemmiferum 443–446; glaucinum 443–446; helianthi 443–446, 449, 450; incrustans 318; juncicolum 443; lembosporum 443, 445, 448, 449; leveillianum 362; lividum 345, 368; lloydii 443; macrosporum 351; olivaceum 447; **pausiacum 445, 447**, 448; spurium 443–448; f. olivacea 443, 447; thymicolum 443; uvidum 345, 346, 368
Coryne 194, 198
Craterium minutum 141, 143
Ctenomyces 224
Cumminsiella 383, 396
Cunninghamella manshurica 464
Cycloporus 201
Cylindrosporium inconspicuum 49; smilacinae 48; veratrinum 50

Dacrymyces deliquescens var. minor 197, 200
Dactylella microaquatica 15
Daedalea 201, 203, 209, 477, 504, 505; berkeleyi 504; confragosa 505; farinacea 504; juniperina 505; pruinosa 206; quercina 206, 207, 505; var. stalactiformis 207; sprucei 201–209; unicolor 505
Daldinia concentrica 2
Dasyspora distorta 23
Delacroxia coronata 281, 283, 301
Densocarpa 218, 219; shanori 219
Dicaeoma fidela 22; hyptidis 21; hyptidis-mutabilis 18; insititium 18; medellinense 21
Dictydiaethalium 25
Dictydium cancellatum 139, 142
Dictyostelium discoideum 183
Dictyuchus 185, 186, 188, 192
Diderma radiatum 142, 143; trevelyani 142, 143
Didymium anellus 143; dubium 143; melanospermum 143, 144; minus 143; vaccinum 142, 143
Didymosphaeria 471–473; astragalina 472; epidermidis 471; galiorum 471; genista 471; peltigera 471; rubi 471; **sadasivanii 471–473**; xylostei 471
Diplodia 159, 263, 265; arachidis 264; cacaoicola 264; cinnamoni 264; cococarpa 264; cocophila 264; coffeae 264; coffaeiphila 264; coffeicola 264; creba 264; gossypii 263; gossypina 263–265; hesperidica 265; mangostanae 265; manihoti 265; musae 265; natalensis 263–267; paradisiana 265; phaseolina 265; radula 265; rapax 265; solanicola 265; theobromae 264, 265; tubericola 265; zebrina 265
Diplodiella 263
Dothidea graminis 600

Echinodontium tinctorium 501
Echinostelium minutum 140, 142
Eichleriella 318–321, 325, 326; alliciens 322, 323, 354; chinensis 356; deglubens 365; gelatinosa 322, 360; incarnata 318, 322, 354–356, 365; leucophaea 323, 352; leveilliana 322, 356, 362; macrospora 322, 323, 351; mexicana 354, 355; pulvinata 363; schrenkii 353, 354; spinulosa 321, 364, 365
Elaphomyces granulatus 2
Elfvingia 202; brownii 475, 505
Elsinoë 600–604; boucheae 437, 438; **panici 601–603**
Emericellopsis 64–83; **glabra 72–75–82**; humicola 65–76, 80; **microspora 67–76**, 80–82, 541; minima 64–76, 82; mirabilis 65–82; salmosynnemata 64–66, 70, 74, 76, 79–82; terricola 64, 65, 76, 80, 82; var. glabra 64–66, 70, 75, 82; var. terricola 65, 66, 69, 70, 75
Emmonsia crescens 524–535
Empusa 311; fresenii 301; geometralis 301; lageniformis 301; occidentalis 301
Endogone 254–260; fasciculata 254
Endophyllum 397
Entoloma lividum 6
Entomophthora 307, 311; coronata 307–312; sphaerosperma 302
Eriosporangium fidelis 22; hyptidis 20; hyptidis-mutabilis 18; medellinense 21
Exidia 317, 322, 363; subg. Exidiopsis 326; effusa 346; glandulosa 322; nucleata 320, 321, 363, 367; rolleyi 363
Exidiopsis 317–370; **alliciens** 328, 345, 351, **354**–357, 362; **calcea** 328, 345, **348**–351; calospora 322, 324, 326, 328, 331; **candida** 327, **334**, 339, 358; cerina 317; effusa 317, 341, 346; fugacissima 322, 323, 327, 331, 332, 337, 339; fuliginea 322–324, 327, 335–337; glaira 322, 324, 327, 331, 332, 339; grisea 322, 324, 327, 341, 343–346, 354, 358, 365, 368; **laccata** 327, 339, **340**, 345; **leucophaea** 327, 350, **352**, 354; **macrospora** 328, 345, 348–**351**, 352; manihoticola 346, 347; moelleri 357; molybdea 322, 324, 327, 331, 332, 339, 345; mucedinea 324, 328, 346; peritricha 342; plumbescens 342; prolifera 322, 324, 326, 329, 331, 365; sordida 334, 335, 345, 357, 358; sublilacina 367; **sublivida** 328, 345, **347**, 348; quercina 341, 345, 346

Favolus 477, 506; alveolaris 506; canadensis 506
Flabellaria 579
Fomes 477, 499–502; abietis 499; abramsianus 500; annosus 502; arctostaphyli 500; badius 501; cajanderi 501; carnea 501; conchatus 500; connatus 501; demidoffii 501; earlei 501; ellisianus 502; everhartii 500; fomentarius 3, 4, 499; fraxinophilus 502; fulvus 500; hartigii 500; igniarius 490, 500; isabellina 499; juniperinus 501; laevigata 500; laricis 502; marginatus 502; marmoratus 499; medulla-panis 502; nigrolimitatus 490, 499; nobilissimus 501; occidentalis 499; officinalis 2–4, 502; ohiensis 502; piceinus 499; pini 499; pinicola 502; pomaceus 500; ponderosus 502; populinus 501; praerimosus 500; prunicola 500; punctata 500; pute-arius 499; radiciperda 502; repandus 490, 500; ribis 500; rimosus 501; robineae 501; robustus 490, 500;

roseus 501; sclerodermeus 499; scutellatus 502; setosus 499; subrosea 501; tenuis 499; tinctorius 501; ulmarius 147; ungulatus 502; unitus 496, 502; viticola 490, 499; vorax 499; weirianus 500
Fomitiporella 202
Fuligo septica 138, 141, 143
Fusarium 244, 245, 251; oxysporum 541; f. gladioli 251; f. pisi 251; roseum 7; solani f. cucurbitae 251; sporotrichioides 7
Fuscoporella 202

Galera tenera 305
Gambleola 396, 397; cornuta 397
Ganoderma 202, 475, 477, 505, 506; **annularis 505;** applanatum 357, 446, 505; **brownii 505;** lobatum 505; lucidum 506; megaloma 505; oregonense 506; sequoiae 506; tornata 505
Genabea 215, 216, 218
Genea 216, 218; bombycina 218
Geopora 217
Gilbertella persicaria 467
Globifomes 202
Gloeocystidium sec. Athele 443, 450; cretatum 445, 450
Gloeophyllum 201, 203, 209
Gloeosporium musarum 270, 273
Gongronella butleri 409, 412–415; **lacrispora** 409, **411–415**
Gymnoascus 224, 226; flavus 223
Gymnoconia hyptidis 20, 21
Gymnosporangium 436
Gymnotelium 386, 390
Gyromitra esculenta 537

Haplosporangium 527; decipiens 442
Heliscus 11
Helvella esculenta 7
Hemitrichia clavata 140, 142; serpula 140, 142; stipitata 140, 142; vesparium 140, 142
Hericium 566–574; abietis 568; caputursi 567–573; coralloides 568, 569, 573; erinaceous 566–573; henningsii 568; septentrionale 568–573
Heterochaeta 317–323, 348, 352, 361, 367; delicata 321; dubia 318; lividofusca 321; macrochaeta 367; sublivida 323, 347, 348; tremellispora 361
Heterochaetella 318, 319; dubia 321
Hexagona 201, 203; aequalis 203–208; erubescens 203–207; glabra 206
Hirneolina 318, 319, 322; crocata 354, 355; gelatinosa 360; hirneoloides 361; incarnata 354; leucophaea 353; schrenkii 353; ubatubensis 354, 355
Histoplasma capsulatum 53, 59–62; duboisii 53–63
Hydnocystis 217; **singeri 216**
Hydnoplicata 217, 218; whitei 216
Hydnotrya 217, 218
Hygrophorus conicus 6
Hymenochaete dendroidea 356
Hyponeuris 579; alneus 581
Hypoxylon 112

Ichthyosporidium 432
Inocybe infelix 6; infida 6
Inodermus 202
Inonotus 202
Institale bombacina 357
Irpex 201; rickii 204–208; sprucei 204, 208
Isoachyla 185, 190; angiospora 186; monolifera 186, 192; unispora 186, 192

Kirschsteiniella **thujina** 156, 159, **160–169**

Lactarius colorascens 305; piperatus 3, 305; torminosus 3, 6
Lactea brunneola var. brasiliensis 587
Lambertella copticola 238; hicoriae 238, 240
Lamproderma arcyrionema 141, 143; sauteri 138, 141, 143
Lasiodiplodia 263, 264; nigra 265; theobromae 264, 265; triflorae 265; tubericola 263, 265
Leccinum 234; rubropunctum 234
Lemonniera 12
Lentinus resupinus 592
Lenzites 201, 477–506; abietinella 506; betulina 506; distancifolia 204–207; hirsutum 506; saepiaria 506; striata 506; trabea 506
Leocarpus fragilis 142, 143
Lepidoderma carestianum 138, 143, 144
Lepiota lutea 305; morgani 6; rhacodes 538
Licea fimicola 138, 142; kleistobolus 138, 142
Lithodermyces 579
Lophotrichus 512
Lulworthia salina 15
Lycogala epidendrum 138, 139, 142
Lycoperdon 4, 123, 124, 127, 131, 133, 438; atropurpureum 124; bovista 123; constellatum 123; echinatum 124; gemmatum 123, 124, 539; giganteum 123; nigrescens 124; pratense 124; pyriforme 124; umbrinum 124; wrightii 124

Macrophoma vestita 265
Melampsorella caryophyllacearum 427
Melanoporella 202
Melanoporia 202
Merisma candidum 318

Merulius tremellosus 197
Micropuccinia distorta 23
Microsporum quinckeanum 529
Mollisia 194, 197
Mucilago spongiosa 142, 143
Mucor 417, 418; angarensis 415; hiemalis 540, 541; recurvus 184; sexualis 422
Mycena galopus 84, 85; polygramma 84, 85
Myriangium bambusae 600
Myriosclerotinia sulcata 238
Myrmecocystis 215–218; compacta 216; **spinospora 215,** 216
Myxotrichum 224

Nematodiplodia laelio-cattleyae 265
Neobulgaria pura 194, 197, 198
Neurospora 251; crassa 91, 96, tetrasperma 180
Nyssopsora 396

Olpidiopsis 183, 184; incrassata 183–192
Omphalia flavida 84, 85
Oospora sulphurea 541
Ovulinia azaleae 242

Paecilomyces marquandii 541
Panaeolus 7
Panus stipticus 84–89
Paxillus rhodoxanthus 539
Penicillium 124, 222, 252, 451–463; albicans 452; canadense 451, 452; chrysogenum 66; cyclopium 251; daleae 451–454; frequentans 460; granulatum 541; herquei 541; implicatum 541; janthinellum 454, 541; lilacinum 541; lividum 460; luteum 221, 226; nigricans 541; notatum 8; **odoratum 459–462; pinetorum** 456, **457,** 458; purpurogenum 541; radulatum 451, 455; restrictum 541; roqueforti 115–121; roseo-purpureum 541; simplicissimum 541; spinulosum 541; thomii 458; trzebinskianum 460; variabile 541; vermiculatum 224
Perichaena chrysosperma 139, 142; corticalis 139, 142, 144; depressa 139, 142, 144; vermicularis 139, 142, 144
Perisporium funiculatum 522
Peritrichospora integra 15
Petchiomyces 218
Peyronellula mirabilis 64
Peziza proteana 278
Phaeodaedalea 201–**203**–209; **sprucei** 202–**203**–209
Phaeoschizophyllum 580, **594; leprieuri** 580, 594, **595**
Phallus impudicus 2
Phellinus 202
Phialophora 541
Phleospora vagnerae 48
Pholiota autumnalis 6
Phyllachora 600
Phyllosticta melanoplaca 49
Phymatomyces 217; yezo-montanus 217
Phymatotrichum omnivorum 181
Physalospora 264, 265; rhodina 264, 265, 273
Physarum cinereum 141, 143; compressum 141, 143; galbeum 141, 143; mutabile 141, 143; notabile 141, 143; nutans 141, 143; pusillum 141, 143; tenerum 141, 143
Polyporellus varius 446
Polyporus 104, 477–489; abietinus 488; adustus 484; albellus 486; albidus 486; alboluteus 484; amarus 482; amorphus 487; anceps 488; annularis 475, 505; arcularius 482; aurantiacus 484; balloui 480; balsameus 486; benzoinus 486; berkeleyi 479; betulinus 482; biennis 480; biformis 485; borealis 485; bresadolae 484, 491; brumalis 482; caesius 487; canadensis 483; carbonarius 486; cinnabarinus 487; cinnamomeus 478; circinatus 477; confluens 480; corruscans 478; crispellus 486; crispus 485; cristatus 480; cryptopus 481; cuneatus 483, 491; cuticularis 479; cutifractus 486; decurrens 481; delectans 483; dichrous 485; dispansus 480; distortus 480; dryadeus 478; dryophilus 478; dualis 477; elegans 481; ellisii 480; farlowii 479; fibrillosus 484; fissus 482; flavovirens 480; flettii 480; floriformis 482; fomentarius 3; fragilis 485; frondosus 481; fuliginosum 486; fumosus 485; galactinus 483; giganteus 481; gilvus 478; glomeratus 479; griseus 479; guttulatus 486; hirsutulus 488; hirsutus 479, 489; hirtus 481; hispidellus 481; hispidus 479; illudens 480; immitis 486; lapponicus 485; leucospongia 485; macounii 488; mcmurphyi 481; melanopus 481; minusculoides 484; mollis 484; montagnei 478; montanus 479; munzii 479; nidulans 482; nigromarginatus 489; obtusus 483; officinalis 2–5; oregonensis 480; osseus 482; ovinus 480; pacificus 485; pargamenus 488; perdelicatus 487; perennis 478; pes-caprae 480; picipes 481; pini-ponderosae 484; planellus 487; planus 487; polyporus 482; pseudotsugae 485; pubescens 489; radiatus 478; resinosus 486; rheades 478; rubricosa 488; rutilans 482; schini 479; schweinitzii 477; sector 488; semipileatus 487; semisupinus 483; sensibilis 485; sistotremoides 477; skamanius 480; specio-

sus 483; spraguei 483; spumeus 483; squamosus 481; stipticus 488; subcartilagineus 485; subchartaceus 488; subradicatus 481; subsquamosus 479; substipitatus 486; sulphureus 483; supinus 487; sylvestris 480; tephroleucus 486; texanus 479; tomentosus 477; trabeus 486; tuberaster 481; tuckahoe 481; tulipiferae 484, 492; umbellatus 482; undosus 485; unicolor 483; ursinus 485; varius 481; velutinus 489; versatilis 488; versicolor 488; volvatus 487; vulpinus 478; washingtonensis 483; zelleri 482; zonatus 489

Poria 475, 477, 489–499; albipellucida 493; albobrunnea 497; albolutescens 493; alpina 475, 498; alutacea 498; ambigua 492; andersoni 489; aneirina 494; argillacea 490; asiatica 494; attenuata 496; aurea 493; avellanea 495; bombycina 493; byssina 484; callosa 497; candidissima 493; canescens 490; carbonica 497; carnegiea 494; carnicolor 495; chromatica 497; cinerascens 497, 499; cocos 492; colorea 496; coniferarum 493; corticola 491; crassa 496; crustulina 497; cylindrospora 489; decolorans 492; dichroa 497; eupora 496; fatiscens 491; ferox 497; ferrea 489; ferrugineofusca 489; ferruginosa 490; fimbriatella 495; fulvella 493; griseoalba 491; incarnata 495; incrassata 493; johnstonii 495; laevigata 490; latitans 494; leei 489; lenis 498; lenta 495; luteoalba 498; luteofibrata 496; mappa 495; marginella 489; microspora 495; mollusca 493; monticola 495, 499; myceliosa 493; nigrescens 492; notata 494; obliqua 489; overholtsii 496; pannocincta 494; parksii 492; placenta 495; purpurea 491; radiculosa 496; radula 496; rancida 497; reticulata 491; rhodella 491; rimosa 495; rixosa 496; rubens 495; rufa 492; salmonicolor 495; sanguinolenta 492; var. expallescens 492; semitincta 491; sequoiae 499; sericeomollis 494; šimani 494; similis 491; sinuascens 498; sinuosa 498; sitchensis 498; spissa 492; stellae 498; stenospora 497; subacida 496; subavellanea 497; subfuscoflavida 497; subiculosa 490; subincarnata 498; subtilis 493; subvermispora 494; tacamahacae 494; tarda 491; taxicola 492; tenuis 496; var. pulchella 496; terrestris 492; undata 492; vaillantii 496; vaporaria 498; versipora 494; vicina 491; viridans 491; vulgaris 494; weirii 489; xantha 497, 498; xanthospora 489; zameriensis 494; zonata 497

Porotheleum fimbriatum 490

Protoachyla paradoxa 185–188, 192

Protodontia 318, 321; piceicola 321; uda 318, 321

Protohydnum 318; cartilagineum 321

Protomerulius 357

Psathyrella 7

Pseudoarachniotus 224

Pseudotremellodendron 365

Psilocybe 7; baeocystis 538

Puccinia 17–23; subg. Bullaria 386, 390; sec. Eupuccinia 386; clan **Brevipedicellae** 383, **387,** 389; sept **Pygmaea** 382, **387,** 388; sept **Rubigo-vera 388,** 389; clan **Longipedicellae 383**–387; sept **Berberidis** 382–**383,** 384, 396; 397; sept **Culmicola** 384–**386,** 387, 393, 397; sept **Phragmitis** 382, **384,** 385, 386; kin Berberidae 387, 396; aegilops 389; alii 42, 43; amphiospora 18; anthoxanthi 380, 387; aristidae 39; arnaudi 389; arrhenatheri 388; arundinariae 382, 386; asparagi 39; atropuncta 33; avenae-pubescentis 380, 387; baryi 388; berberidis 382, 384; berberidis-trifoliae 384; bessei 38, 39; blasdalei 41–44; brachypodii 387, 388; brunellarum-moliniae 386; calochorti 36; caricis-montanae 380; cerinthes-agropyrina 389; culmicola 380, 387; dactylidis 381, 387; dispersa 389; distorta 17, 19, 23; ellisiana 39; fidelis 17, 19, 22, 23; gibertii 21, 22; glumarum 382, 388; graminis 378–405; subsp. minor 387; var. tritici 384, 398; granulispora 41, 42; grumosa 33; heimerliana 387; hordei 382; hyptidis 17–21; hyptidis-mutabilis 17–22; imperatae 387; insititia 17–19; inulae-phragmiticola 384, 393; isiaceae 385; koeleriae, 382, 388; **kukkonensis 38;** medellinensis 17, 20–22; mesomajalis 37; meyeri-alberti 382, 384; milii 388; mixta 42; moliniae 386; montanensis 382, 388; mutabilis 42–44; nemoralis 386; obtusata 384, 393; ornata 384, 393; pagana 38, 39; parilis 17, 20, 22; perfuncta 22; phlei-pratensis 380, 387; phragmitis 382–386, 393; poae-sudeticae 382, 388; porri 42, 43; pygmaea 382, 388; recondita 388; rubigo-vera 388, 389; scillarum 45, 47; sesleriae-coeruleae 380; sporoboli 34; symphytibromorum 389; trabutii 384–386, 393; traillii 384, 393; trebouxii 387; veratri 3, 50

Pyropolyporus 203

Pythium debaryanum 291; ultimum 291, 302

Radulum deglubens 364; kmetii 364; spinulosum 364
Ramularia smilacinae 50; subsanguinea 50
Retinocyclus abietis 167
Rhipidium 579
Rhizoctonia 436; solani 183, 184
Rhizopogon roseolus 538
Rhizopus arrhizus 422; **homothallicus 419–422**; sexualis 420–425; var. **americanus** 420, **424**, 425
Rhodotorula mucilaginosa var. sanguinea 126, 127, 135
Rhopalomyces elegans 442
Russula 605–625; alcalinicola 605, 606; astringens 605, 606; badia 616; betulina 606, 607; bicolor 607, 608; blanda 607, 608; californiensis 608, 609; corinthiirubra 609, 610; cremoricolor 609, 610; crenulata 609, 610; davisii 609, 612; disparilis 611, 612; echinospora 611; emetica 6, 539; ssp. emeticella 609; fucosa 611, 612; fulvescens 611, 613; fusca 611; gracilis 611, 613; gracillima 614; helodes 622; hibbardae 613, 614; humidicola 614, 615; integra 607; lactea 607; lepida 607; luteotacta 616; marginata 614, 615; mariae 624; maxima 614, 615; mexicana 616, 617; mordax 616, 617; murina 616, 617; murrillii 616, 618; olivacea 611; operta 618, 619; ornaticeps 618, 619; parvula 619, 620; placita 619, 620; praeumbonata 620, 622; punctata 619; pusilla 619; queletii 622; redolens 621, 622; robinsoniae 621, 622; rubriochracea 621, 622; stricta 623, 624; subtilis 623, 624; sulcatipes 623, 624; variegata 614; velenovskyi 607; xerampelina 624; zelleri 623, 624
Rutstroemia 238; paludosa 238, 240

Saccharomyces cereviseae 5
Saprolegnia 183–192, 436; delica 186; diclina 186; ferax 183–189; kauffmaniana 184, 186; mixta 186; parasitica 185–192
Saturnomyces humicola 64
Scaphophorum 579; agaricioides 581
Schenella 25–30; **microspora** 27, **29**, 30; simplex 25–28
Schizonia 579
Schizophyllum 575–599; album 581; alneum 581; **brasiliense** 580, **593**, 596, 597; brevilamellatum 577, 578, 585, 586; commune 195, 197, 575–577, 580, 585–592, 596–598; f. dictiflorum 587; f. flabellare 586; f. fuliginea 587; f. lobatum 581, 586; f. maxima 586; f. multifidum 586; var. flabellare 586; var. incisum 581; var. laceratum 587; var. maxima 581; var. minor 587; var. multifidum 586; var. orbicularis 587; var. palmatum 581, 587; var. vetustum 587; egelingianum 581, 586; exiguum 581; fasciatum 577, 580, 589, 590, 596, 597; var. mexicanum 590; flabellare 581; var. pallidum 587; leprieuri 577, 595–598; lobatum 581, 596; mexicanum 589, 590, 597; var. incisum 589, 590; miia 580; multifidum 581, 587; var. digitatum 591, 592; murrayi 581; **palmatum** 580, **592**, 596, 597; pavonium 581, 590; pusillum 587; radiatum 577, 581, 585, 586, 589, 598; ramosum 587; umbrinum 577, 580, 591, 592, 596, 597; variabile 596; vulgare 581, 588
Schizophyllus 579; commune 581
Scleroderma 124, 438, 439; aurantium 124, 438, 439; cepa 439; vulgare 124, 438
Sclerotinia 241, 242; asari 238; sclerotiorum 238, 240; trifoliorum 238
Seaverinia geranii 238
Sebacina 318–322, 325, 357; adusta 335–337; alutacea 359; ambigua 359; atra 332–334; bresadolae 359; burti 342; caesia 359; calcea 322, 324, 349, 351; var. corticoides 351; calospora 328; candida 322–324, 334, 335; crozalsii 360; dendroidea 356; effusa 341; epigaea 319, 320, 359, 360; fugacissima 337; fuliginea 335; galzinii 318; glauca 341, 343, 346; gloeofilum 361; grisea 342–346; helvelloides 319, 320, 359, 366; hirneoloides 318, 322, 361; incrustans 319, 320, 359, 366; laccata 322, 324, 340, 341; laciniata subsp. caesia 359; letendreana 348; macrospora 351; mesomorpha 340, 341; microbasidia 326, 362, 363; molybdea 332–334; monticola 351, 352; mucedinea 322, 346; opalea 331; peritricha 342, 343, 346; plumbea 342, 343, 346; plumbescens 342, 343, 346; podlachica 320, 321, 339, 358–367; prolifera 329; quercina 341; reticulata 357; rufochracea 357; sordida 357; sphaerospora 363, 364; spongiosa 366; strigosa 366; subhyalina 367; sublilacina 321, 339, 358, 361, 363, 367; tenuis 358; tuberculosa 358; umbrina 342, 343, 365; uvida 342, 343, 346, 368; subsp. peritricha 342, 346; variseptata 335, 336
Septoria streptopodis 49
Skepperia 575
Sphaceloma 603
Sphaeria thujina 159–161
Stachybotrys alternans 7
Stemonitis 29; axifera 140, 142; flavogenita 140, 142; fusca 140, 142; pal-

lida 140, 142; splendens var. flaccida 29; trechispora 29; virginiensis 140, 142
Stephensia 217–220; arenivaga 220; bombycina 218–220; crocea 220; peyronelii 220; **shanori 219,** 220; sumatrana 218–220
Stereum 145, 147; alliciens 354; calceum 147; leveillianum 362; sanguinolentum 163–169; sulcatum 145, 146, 149–153; taxodii 145–153
Streptomyces 292
Streptotinia 238; arisaemae 238, 240
Strobilomyces strobilaceous 539
Stropharia 7
Stypella 318, 319; minor 320, 321, 363, 364, 367; papillata 321
Suillus albidipes 230–232; **flavoluteus 235; glandulosus 235;** granulatus 232; subsp. **albidipes 232;** subsp. snellii 230–232; placidus 230, 231; **punctatipes 235;** sibiricus 229, 230
Syncephalastrum 194, 197, 200
Syncephalis 440–442; nana 441; tenuis 441

Talaromyces 221, 222, 225, 226; luteus 225, 226; vermiculatus 221, 223, 226
Thelephora acerina var. abietis 348; caesia 359; calcea 348; c. albidofuscescens 348; effusa 326, 341; glauca 341; grisea 341, 345; hirneoloides 361; letendreana 348; mucedinea 346; reticulata 357; viscosa β uvida 345
Thielavia 521, 522; sepedonium 520, 521; terricola 521
Thielaviopsis paradoxa 273; sulphurellum 541
Thraustotheca clavata 185–188, 192
Thyridaria tarda 265
Torulopsis sanguinea 124, 127
Trametes 475, 477, 502–504; alaskana 504; americana 503; callosa 504; campestris 504; carbonaria 490, 502; colliculosa 503; heteromorpha 504; hispida 503; malicola 503; mollis 503; odora 503; sepium 504; sequoiae 503; serialis 497, 504; sprucei 207; stuppea 503; suaveolens 3, 503; trogii 503; variiformis 504
Tremella 322; concrescens 320; epigaea 359; glaira 331; sordida 325, 334, 335
Tremellodendron 318–321, 359
Tremellodendropsis 321
Trichia affinis 140, 142; botrytis 139, 142; persimilis 139, 142; pusilla 140, 142; varia 140, 142
Tricholoma 124
Trichophyton quinckeanum 529
Triplosporium 301
Tubifera ferruginosa 25
Tuburcinia clintoniae 31

Uredo amphiospora 18; concentrica 45; hyacinthi 46; hyptidis 20; hyptidis-atrorubentis 21; limbata var. muscari 46; muscari 45; scillarum 45
Urocystis cepulae 32; colchici 32; erythronii 32
Uromyces 383, 386; aemulus 44; algeriensis 48; caladii 195, 197; circinalis 48; concentricus 45; dactylidis 380; heterodermus 35; holwayi 34, 35; hyacinthi 46; inaequialtus 39; limbatus 46; limonii 39; macowani 48; miurae 36; muscari 44–48; f. sp. **hyacinthi 46;** f. sp. muscari 46; f. sp. **muscari-racemosi 46;** f. sp. **scillae 46;** nothoscordi 39, 40; polygoni-avicularis 39; primaverilis 39; ssp. **nothoscordi 40;** ssp. **primaverilis 40;** scillarum 45, 48; f. sp. hyacinthi 46; f. sp. muscaricomosi 46; f. sp. muscari-racemosi 46; f. sp. scillae 46; zygadeni 33
Ustilago 5; heufleri 32, 33; maydis 5

Verticillium albo-atrum 171–181

Xanthoconium **purpureum 234**
Xenasma 443–450; filicinum 449
Xerocarpus farinellus 348
Xerocomus **alutaceus 228**
Xerotus 201

Zygorhynchus 422; macrocarpus 412, 418, 419

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LIII, 1961

CONSISTING OF V + 642 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. January–February

Mycology and medicine, Chester W. Emmons 1
Fungi from salt lakes. I. A new species of Clavariopsis, C. J. Anastasiou 11
North American species of Puccinia on Hyptis, John W. Baxter 17
The genus Schenella, G. W. Martin 25
Some fungal parasites of Liliaceae, D. B. O. Savile 31
Infection with Histoplasma duboisii in different experimental animals, Masahiko Okudaira and Jan Schwarz 53
A new Emericellopsis from Wisconsin, with notes on other species, M. P. Backus and P. A. Orpurt 64
Studies in fungal luminescence, Martha D. Berliner 84
The effect of temperature on ascogonial and perithecial development in Ceratocystis fagacearum, F. W. Cobb, Jr., C. L. Fergus, and W. J. Stambaugh 91
Physiological studies on Calvatia species. I. Vitamin requirements, M. Sedlmayr, E. S. Beneke, and J. A. Stevens 98
Financial Reports 109

No. 2. March–April

Julian Howell Miller (1890–1961), W. A. Campbell 111
Studies on the intracellular amino acids of Penicillium roqueforti, E. Meyers and S. G. Knight 115
Studies on Calvatia gigantea. I. Germination of the basidiospores, Glenn S. Bulmer and Everett S. Beneke 123
A preliminary report of the Myxomycetes of southern Arizona, Adelaide E. Evenson 137
Stereum taxodii in Japan and Formosa, Kiyowo Aoshima, Paul L. Lentz, and Hazel H. McKay 145
A bluestain in balsam fir, René Pomerlau and D. E. Etheridge 155
Structure, germination, and physiology of microsclerotia of Verticillium albo-atrum, R. S. Gordee and C. L. Porter 171
Parasitism of Olpidiopsis incrassata on members of the Saprolegniaceae. I. Host range and effects of light, temperature, and stage of host on infectivity, Miriam K. Slifkin 183
Fine structure of Mycota. 5. Lomasomes—previously uncharacterized hyphal structures, Royall T. Moore and James H. McAlear 194
The genus Phaeodaedalea, M. E. P. Kauffmann Fidalgo 201
Reviews 211

No. 3. MAY–JUNE

New species and revisions in the order Tuberales, HELEN MARGARET GILKEY 215
A re-evaluation of Arachniotus indicus, GOURI RANI GHOSH, G. F. ORR, AND H. H. KUEHN 221
Notes on boletes. XIV, WALTER H. SNELL AND ESTHER A. DICK 228
A simple technique for investigating stromatal formation in the Sclerotinaceae, CARMINE NOVIELLO AND RICHARD P. KORF 237
Heterocaryosis and somatic recombination in Cephalosporium mycophilum, R. W. TUVESON AND D. O. COY 244
A species of Endogone from corn causing vesicular-arbuscular mycorrhiza, J. W. GERDEMANN 254
Botryodiplodia theobromae and its association with Musa species, ROGER D. GOOS, ELSIE A. COX, AND G. STOTZKY 262
Two species of Conidiobolus often forming zygospores adjacent to antheridium-like distentions, CHARLES DRECHSLER 278
Basidiospores of several species of Agaricales discharged and collected in pairs, E. B. LAMBERT AND T. T. AYERS 304
Entomophthora coronata, the etiologic agent of a phycomycosis of horses, CHESTER W. EMMONS AND CHARLES H. BRIDGES 307
Reviews 313

No. 4. JULY–AUGUST

Studies of some Tremellaceae. IV. Exidiopsis, KENNETH WELLS 317
Cercospora species on cucurbitaceous hosts in South India. I. Identification of species, G. RANGASWAMI AND S. CHANDRASEKARAN 371
Some viewpoints on the phylogeny of rust fungi. IV. Stem rust genealogy, E. E. LEPPIK 378
Notes on Mucorales, especially Absidia, C. W. HESSELTINE AND J. J. ELLIS 406
Notes on western rust fungi I. Chrysomyxa, ROGER S. PETERSON 427
Notes and Brief Articles 432

No. 5. SEPTEMBER–OCTOBER

A taxonomic analysis of section Athele of the genus Corticium. II, ANTHONY E. LIBERTA 443
New or noteworthy Penicillia from Wisconsin soils, MARTHA CHRISTENSEN AND M. P. BACKUS 451
A new species of Choanephora from India, B. S. MEHROTRA AND M. D. MEHROTRA 464
A new species of Didymosphaeria from the rhizosphere, T. K. RAMACHANDRA-REDDY 471
Synopsis of the Polyporaceae of the western United States and Canada, JOSIAH L. LOWE AND ROBERT L. GILBERTSON 474
Morphological studies in the Chaetomiaceae. I, W. C. WHITESIDE 512
The distribution of Emmonsia crescens in Europe, WILLIAM L. JELLISON AND J. WILLIAM VINSON 524
Notes and Brief Articles 536

No. 6. NOVEMBER–DECEMBER

William Alphonso Murrill, GEORGE F. WEBER 543
Physiological studies on Calvatia species. II. Carbon utilization, M. SEDLMAYR, E. S. BENEKE, AND J. A. STEVENS 558
A laboratory procedure for the cultivation and fructification of species of Hericium, JOHN A. YURCHENCO AND GEORGE H. WARREN 566
The genus Schizophyllum, WM. BRIDGE COOKE 575
A new species of Elsinoë on Panicum virgatum, LOIS H. TIFFANY AND JUDITH H. MATHRE 600
A study of Russula types, II, L. R. HESLER 605
Reviews 626
Index 632

SUSTAINING MEMBERS
OF THE MYCOLOGICAL SOCIETY OF AMERICA

The Society is extremely grateful for the support of its Sustaining Members. These organizations are listed below in alphabetical order. Patronize them and let their representatives know of our appreciation whenever possible.

ABBOTT LABORATORIES
Pharmaceutical products for the medical profession since 1888
North Chicago, Illinois

BALTIMORE BIOLOGICAL LABORATORY, INC.
A division of Becton, Dickinson and Company
Products for the microbiological laboratory

BIOFERM CORPORATION
Subsidiary of International Minerals Chemical Corporation
Wasco, California

BUCKMAN LABORATORIES, INC.
Industrial microorganism control specialists
Memphis 8, Tennessee

BURROUGHS WELLCOME AND CO. (U.S.A.) INC.
Manufacturers of Fine Pharmaceuticals
Tuckahoe 7, New York

BUTLER COUNTY MUSHROOM FARM
West Winfield, Pennsylvania

CIBA PHARMACEUTICAL PRODUCTS, INC.
In the service of medical science
Summit, New Jersey

CONSOLIDATED LABORATORIES, INC.
COLAB and OXOID Products for the Laboratory
Chicago Heights, Illinois

DIFCO LABORATORY PRODUCTS
The complete line of
microbiological reagents and media

FISHER SCIENTIFIC COMPANY
Pittsburgh, Pennsylvania

THE FLEISCHMANN LABORATORIES
Standard Brands Incorporated

HEINICKE INSTRUMENTS COMPANY
Foremost Manufacturer of Laboratory Glassware Washers and Cage Washers
Hollywood, Florida

(*Continued*)

SUSTAINING MEMBERS OF THE MYCOLOGICAL SOCIETY OF AMERICA

(Continued)

HOFFMANN-LA ROCHE, INC.
Pharmaceuticals, Vitamins and Aromatic Chemicals
Nutley 10, New Jersey

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY
Antibiotic, biological and pharmaceutical research and manufacture
Pearl River, New York

ELI LILLY AND COMPANY
Pharmaceuticals, biologicals, and agricultural and industrial products
740 South Alabama Street, Indianapolis, Indiana

MILES LABORATORIES, INCORPORATED
Pharmaceutical and chemical research and manufacture
Elkhart, Indiana

NORWICH PHARMACAL COMPANY, EATON LABORATORIES DIVISION
Ethical pharmaceuticals
Norwich, New York

ORTHO PHARMACEUTICAL CORPORATION
Obstetrical and gynecological products, biologicals
Raritan, New Jersey

CHAS. PFIZER AND CO., INC.
Fine chemicals and pharmaceuticals by means of microorganisms
11 Bartlett Street, Brooklyn 6, New York

SCHERING CORPORATION
Pharmaceutical manufacturers
Bloomfield, New Jersey

SCIENTIFIC PRODUCTS FOUNDATION, EVANSTON, ILLINOIS
Supported by companies dedicated to the biological sciences
(Member company names on request)

THE SQUIBB INSTITUTE FOR MEDICAL RESEARCH
E. R. Squibb and Sons, Div. of Olin Mathieson Chemical Corporation
New Brunswick, New Jersey

THE UPJOHN COMPANY
Fine pharmaceuticals since 1886
Kalamazoo, Michigan